
ULANO DEGREASER 1:50

DESCRIPTION

Screen degreasing concentrate (max. 1:50)

ULANO DEGREASER 1:50 is a highly concentrated, acidic degreasing concentrate. Diluted up to 1:50 with water, the ready-to-use cleaning solution has excellent degreasing and wetting properties and is suitable for any mesh type. *ULANO DEGREASER 1:50* has especially been developed for automatic screen washing units. It produces little foam and is a phosphate-free tenside combination for the removal of grease and dirt.

| | |
|-----------------------|---|
| COLOUR | Beige to yellow |
| DENSITY (20°C) | Approx. 1,07 g / cm ³ |
| CONSISTENCY | medium viscous |
| pH value | approx. 4,0, after dilution in a ratio of 1:40: approx. 4,4 |

APPLICATION

In general, mix 50 l of water with 1 l of *ULANO DEGREASER 1:50*. The concentration can be adapted depending on the degree of contamination. We recommend filling in the water first and then add the degreasing concentrate whilst stirring. *ULANO DEGREASER 1:50* dissolves quickly and clearly and does not form any residue. The ready-to-use solution does not block nozzles, pipes or pumps. Observe the instructions given by the machine manufacturer. Screens which have been treated with *ULANO DEGREASER 1:50* must be rinsed with clear water.

Optimum parameters can be programmed into the washing unit by our technical staff if required.

STORAGE

2 years (at 20 – 25°C and original container)

HEALTH HAZARDS/ ENVIROMENTAL PROTECTION

Observe the usual precautions when working with chemicals (wear safety goggles and gloves). *ULANO DEGREASER 1:50* complies with the requirements of legislation for detergents and is biodegradable. In usual working dilution no waste water problems have to be expected. For reasons of environmental protection, no dyes or perfumes are added.

Please follow further information given in the material safety data sheet.

IMPORTANT INFORMATION

This data sheet is for your information. A legally binding assurance of the product's suitability for a specific purpose cannot be derived from it and no liability can be assumed for any potential damages that may occur. Our products are subject to continuous production and quality control and leave our company in perfect condition.

This product is intended solely for industrial applications and not for use by the end consumer. We recommend to our customers to always test the product themselves since only in this way – also after production – can the freedom from certain substances and the suitability for a particular purpose be verified. The user has to test the product for suitability for the intended application. We reserve the right to modify product specifications. Tests that are not part of the specifications of the product mentioned above have not been carried out.

All information applies only to the above-mentioned product obtained from Kissel + Wolf GmbH. It corresponds to our current state of knowledge, but is not a confirmation of a particular application and is not automatically replenished. All information is valid for a maximum of 12 months (annexes may be provided with their own date) or until legal changes are made in this time period. The recipient of our product is solely responsible for observing any possible property rights as well as existing laws and regulations. Property rights of third parties must be observed. Our terms and conditions of sale and delivery shall apply.